

UNTITLED MINI LINEAR


Bernhard Osann

Projet de synthèse réussie de mécanique et de technologie de l'éclairage, ce design est épuré et essentiel, avec des articulations miniaturisées qui permettent une flexibilité extrême de mouvement. La version Linear a été conçue avec une optique spécifique pour assurer un confort visuel maximal dans les lieux de travail.



Source	linear LED
Total power	7W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	2700K
Luminous flux	485lm
Typ CRI	90
IP class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately
Accessories	Desk clamp, Table base, Wall fixing,

UNT LN2 15	black
UNT LW2 15	white
UNT LD2 15	titan grey
UNT LG2 15	gold



3000K

LAMPING

Source	LED board
Total power	7W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	3000K
Luminous flux	485lm
Typ CRI	90
IP class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately
Accessories	Desk clamp, Table base, Wall fixing,

Codes

- UNT LNN 15
- UNT LWW 15
- UNT LDD 15
- UNT LGG 15

Structure

- black
- white
- titan grey
- gold

Certificazioni

